

DOOSAN

Doosan Factory Fit
SVAB & Steelwrist options



Doosan's DX140W-5, DX160W-5, DX165W-5, and DX170W-5 Wheeled Excavators are being equipped with SVAB control system and Steelwrist quick coupler/tiltrotator options.

The new factory-installed **SVAB/Steelwrist** options are now available as a factory fit on Doosan Wheeled excavators through **Doosan Smart Solutions**.

*Order conditions can vary by region, please contact your customer service representative.



Sandwich X20 with gripper / S6o coupler.



Gripper option.

SVAB options

SVAB control system

The SVAB control system helps to increase productivity when using a tiltrotator. The ergonomic joysticks deliver soft, flexible and simultaneous operation of numerous functions; and the joystick rollers control all the functions in the most precise way.

Wheel joystick steering

This function moves the excavator while you continue to perform a specific task with the digging arm. This makes the many small machine movements during the workday comfortable, easy and efficient. You turn the wheels with one roller on the joystick and control the speed with your foot.

Automatic digging brake

The automatic digging brake keeps your wheeled excavator completely still when digging. After gently braking the excavator wheels, the system locks the wheels and keeps them locked until you press the accelerator. (So you no longer need to press the brake pedal to its locked position.) For safety reasons, the system can only be activated when the machine is set to low speed.

Gateway to Machine Control System (MCS)

This user-friendly interface lets you easily use the Auto Calibration and Positioning System features to customize the digging options and receive full feedback on the bucket's position, thus avoiding unnecessary earth-moving. So you consume less fuel and maximize performance as well as reducing the risk of broken pipes and cut wires.



Service tool available for dealers:
Part #401483 • €272.00
www.svab.se



Steelwrist options

- Steelwrist quick coupler and tilt rotators
- S6o quick coupler with front pin lock
- Direct fit X18 with S6o coupler
- Direct fit X18 with S6o coupler with gripper
- Sandwich X18 S6o/S6o
- Direct fit X20 with S6o coupler
- Direct fit X20 with S6o coupler with gripper
- Sandwich X20 S6o/S6o
- Sandwich X20 S6o/S6o with gripper

Benefits

- The same installation on all wheeled excavators simplifies field support
- Shortens the machine's lead-time to end-user
- Doosan factory fit ensures a consistent high quality installation
- The correct joysticks are factory fitted reducing cost and waste for customers
- Increased availability for reduced customer support time

Now showing at: products.doosanequipment.eu

www.doosanequipment.eu



Specifications and design are subject to change without notice. Pictures of Doosan products may show other than standard equipment.

